L Number	Hits	Search Text	DB	Time stamp
1	315974	((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 10:28
	0.00	tables!)	US-PGPUB;	
		(43.66.)	EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
2	682	(((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 10:00
	į l	tables!)) and (natural adj language) same quer\$5	US-PGPUB;	
			EPO; JPO;	
	ļ .		DERWENT;	
			IBM_TDB	
3	8	((((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 10:11
		tables!)) and (natural adj language) same quer\$5) and (HTTP	US-PGPUB;	
		adj message) and (HTML or XML or SGML)	EPO; JPO;	
			DERWENT;	
	7676	(/data adi aguragal) er detabascal er (data adi bascal) er	IBM_TDB	2004/02/27 10:33
4	/6/6	((data adj sources!) or databases! or (data adj bases!) or tables!) with query	USPAT; US-PGPUB;	2004/02/27 10:33
		tables:) with query	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	257	(((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 10:24
		tables!) with query) and (natural adj language) same quer\$5	US-PGPUB;	200 110227 10.21
		tances, man quest, and (tanana as, an genge, came quests	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	221	(((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 10:00
		tables!) with query) and (natural adj language) with quer\$5	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	l !		IBM_TDB	
7	177	(((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 10:01
	j	tables!) with query) and (natural adj language) near4 quer\$5	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT; IBM_TDB	
8	117	(((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 10:06
	' ' ' '	tables!) with query) and (natural adj language) adj quer\$5	US-PGPUB;	2004/02/21 10:00
		tabless, with query) and (natural adjianguage) adjiquerqo	EPO; JPO;	
			DERWENT;	
	ļ		IBM_TDB	
9	23	((((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 10:01
		tables!) with query) and (natural adj language) adj quer\$5) and	US-PGPUB;	
		(HTTP) and (HTML or XML or SGML)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	30073	((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 10:10
	ļ	tables!) with (retriev\$3 or search\$6 or extract\$5 or query)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
11	356	(natural adi language) adi guar\$5	IBM_TDB	2004/02/27 40:00
' '	350	(natural adj language) adj quer\$5	USPAT; US-PGPUB;	2004/02/27 10:06
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
12	174	((natural adj language) adj quer\$5) and ((data adj sources!) or	USPAT;	2004/02/27 10:29
	1	databases! or (data adj bases!) or tables!) with (retriev\$3 or	US-PGPUB;	
	1	search\$6 or extract\$5 or query)	EPO; JPO;	
		,	DERWENT;	
	1		IBM_TDB	
13	2	(((natural adj language) adj quer\$5) and ((data adj sources!) or	USPAT;	2004/02/27 10:11
		databases! or (data adj bases!) or tables!) with (retriev\$3 or	US-PGPUB;	
		search\$6 or extract\$5 or query)) and (HTTP adj message) and	EPO; JPO;	
		(HTML or XML or SGML)	DERWENT;	
			IBM_TDB	

33	(((natural adj language) adj quer\$5) and ((data adj sources!) or databases! or (data adj bases!) or tables!) with (retriev\$3 or search\$6 or extract\$5 or query)) and (HTTP) and (HTML or XML or SGML)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:56
17	(((natural adj language) adj quer\$5) and ((data adj sources!) or databases! or (data adj bases!) or tables!) with (retriev\$3 or search\$6 or extract\$5 or query)) and HTTP with (quer\$5 or search\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:20
124	((natural adj language) adj quer\$5) and dictionary	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:24
140	custom\$8 near dictionary	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:35
5	(custom\$8 near dictionary) and (natural adj language) same quer\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:32
2	((custom\$8 near dictionary) and (natural adj language) same quer\$5) and ((data adj sources!) or databases! or (data adj bases!) or tables!)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:29
2	(((custom\$8 near dictionary) and (natural adj language) same quer\$5) and ((data adj sources!) or databases! or (data adj bases!) or tables!)) and (retriev\$3 or search\$6 or extract\$5 or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:29
14	(custom\$8 near dictionary) and (natural adj language)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:34
6	((custom\$8 near dictionary) and (natural adj language)) and ((data adj sources!) or databases! or (data adj bases!) or tables!) near6query	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:33
2	((custom\$8 near dictionary) and (natural adj language)) and ((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:34
5921	((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:35
295	(((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (natural adj language)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:35
2	((((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (natural adj language)) and custom\$8 near dictionary	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 10:35
	17 124 140 5 2 14 6 2 5921	databases! or (data adj bases!) or tables!) with (retriev\$3 or search\$6 or extract\$5 or query)) and (HTTP) and (HTML or XML or SGML) (((natural adj language) adj quer\$5) and ((data adj sources!) or databases! or (data adj bases!) or tables!) with (retriev\$3 or search\$6 or extract\$5 or query)) and HTTP with (quer\$5 or search\$6 or extract\$5 or query)) and dictionary ((natural adj language) adj quer\$5) and dictionary ((ustom\$8 near dictionary) ((custom\$8 near dictionary) and (natural adj language) same quer\$5 and ((data adj sources!) or databases! or (data adj bases!) or tables!) (((ustom\$8 near dictionary) and (natural adj language) same quer\$5) and ((data adj sources!) or databases! or (data adj bases!) or tables!)) and (retriev\$3 or search\$6 or extract\$5 or query) ((custom\$8 near dictionary) and (natural adj language) ((custom\$8 near dictionary) and (natural adj language) ((custom\$8 near dictionary) and (natural adj language)) and ((data adj sources!) or databases! or (data adj bases!) or tables!) near6query ((custom\$8 near dictionary) and (natural adj language)) and ((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query (((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query (((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (natural adj language) (((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (natural adj language)) and	databasesi or (data adj basesi) or tables!) with (retriev\$3 or search\$6 or extract\$5 or query)) and (HTTP) and (HTML or XML or SGML) (((natural adj language) adj quer\$5) and ((data adj sources!) or databasesi or (data adj basesi) or tables!) with (retriev\$3 or search\$6 or extract\$5 or query)) and HTTP with (quer\$5 or search\$4) 124 ((natural adj language) adj quer\$5) and dictionary ((custom\$8 near dictionary) and (natural adj language) same quer\$5) and ((data adj sources!) or databases! or (data adj bases!) or tables!) 2 (((custom\$8 near dictionary) and (natural adj language) same quer\$5) and ((data adj sources!) or databases! or (data adj bases!) or tables!) and (retriev\$3 or search\$6 or extract\$5 or query) 2 (((custom\$8 near dictionary) and (natural adj language) 4 ((custom\$8 near dictionary) and (natural adj language) 6 ((custom\$8 near dictionary) and (natural adj language) 7 ((custom\$8 near dictionary) and (natural adj language) 8 ((custom\$8 near dictionary) and (natural adj language) 9 ((custom\$8 near dictionary) and (natural adj language) 10 ((custom\$8 near dictionary) and (natural adj language) 11 ((custom\$8 near dictionary) and (natural adj language) 12 ((custom\$8 near dictionary) and (natural adj language) 13 ((custom\$8 near dictionary) and (natural adj language) 14 ((custom\$8 near dictionary) and (natural adj language) 15 ((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query 15 ((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query 15 ((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (natural adj language) 16 ((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (natural adj language) 17 ((data adj sources!) or

27	6651	(natural adj language)	USPAT; US-PGPUB; EPO; JPO;	2004/02/27 10:50
28	14	((natural adj language)) and custom\$8 near dictionary	DERWENT; IBM_TDB USPAT;	2004/02/27 10:51
			US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	·
29	2	(((natural adj language)) and custom\$8 near dictionary) and ((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:36
30	4	(((natural adj language)) and custom\$8 near dictionary) and ((data adj sources!) or databases! or (data adj bases!) or tables!) and query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:50
31	6812	((data adj sources!) or databases! or (data adj bases!) or tables!) near9 query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:50
32	341	(((data adj sources!) or databases! or (data adj bases!) or tables!) near9 query) and (natural adj language)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:50
33	254	((((data adj sources!) or databases! or (data adj bases!) or tables!) near9 query) and (natural adj language)) and (704/\$.ccls. or 707/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:51
34	34673	704/\$.ccls. or 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:51
35	28	(((((data adj sources!) or databases! or (data adj bases!) or tables!) near9 query) and (natural adj language)) and (704/\$.ccls. or 707/\$.ccls.)) and quer\$6 near6 dictionary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:51
36	4	((((((data adj sources!) or databases! or (data adj bases!) or tables!) near9 query) and (natural adj language)) and (704/\$.ccls. or 707/\$.ccls.)) and quer\$6 near6 dictionary) and (HTTP) and (HTML or XML or SGML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 10:56
37	3	(((((((data adj sources!) or databases! or (data adj bases!) or tables!) near9 query) and (natural adj language)) and (704/\$.ccls. or 707/\$.ccls.)) and quer\$6 near6 dictionary) and (HTTP) and (HTML or XML or SGML)) and first and second and format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 10:57
-	86529	370/\$.ccls. or 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 07:38
-	235	(370/\$.ccls. or 707/\$.ccls.) and search\$5 with (control\$5 near5 block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 07:39
L	J	I	I DIVI I DD	

			•	
-	97	(370/\$.ccls. or 707/\$.ccls.) and search\$5 with (control\$5 near	USPAT;	2004/02/27 07:41
		block)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	0004/00/07 07 40
-	18	((USPAT;	2004/02/27 07:46
		block)) and (search\$5 same tree) and leaf and bit	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	(370/\$.ccls. or 707/\$.ccls.) and bird same match\$4 same key	USPAT;	2004/02/27 07:47
			US-PGPUB;	
			EPO; JPO;	
ļ			DERWENT;	
			IBM_TDB	
-	11	(370/\$.ccls. or 707/\$.ccls.) and bird same key	USPAT;	2004/02/27 07:57
1			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	24	("5490258" or "5754938" or "5860136" or "5873078" or	USPAT;	2004/02/27 08:03
ļ		"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB;	
1		["6052683" or "6490592" or "6546391" or "6553002").pn.	EPO; JPO;	
			DERWENT;	
1	I		I IBM TDB	

			100	Y
lumber	Hits	Search Text	DB	Time stamp
1	3531	707/3.ccls.	USPAT;	2004/02/27 11:46
			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
	000	707/0	IBM_TDB	2004/02/27 44:40
2	803	707/3.ccls. and ((data adj sources) or databases! or tables! or	USPAT;	2004/02/27 11:49
		(data adj bases!)) near6 query	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
2	11	/707/3 colo and //data adi courses) or databases! or tables! or	IBM_TDB USPAT;	2004/02/27 11:57
3	11	(707/3.ccls. and ((data adj sources) or databases! or tables! or (data adj bases!)) near6 query) and (different near3 ((data adj	US-PGPUB;	2004/02/2/ 11.5/
		format) or format)) with query	EPO; JPO;	
		Tormaty or Tormaty) with query	DERWENT;	
			IBM_TDB	
4	788	707/3.ccls. and ((data adj sources!) or databases! or tables! or	USPAT;	2004/02/27 11:52
7	, 00	(data adj bases!)) near6 query	US-PGPUB;	200-702727 11.02
		data adj bases:// ficaro query	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	11	(707/3.ccls. and ((data adj sources!) or databases! or tables!	USPAT;	2004/02/27 11:52
١	'''	or (data adj bases!)) near6 query) and (different near3 ((data	US-PGPUB;	2004/02/27 11.02
		adj format) or format)) with query	EPO; JPO;	
		adjioimaly of formally, that quoty	DERWENT;	
			IBM_TDB	
6	52	(707/3.ccls. and ((data adj sources!) or databases! or tables!	USPAT;	2004/02/27 11:53
		or (data adj bases!)) near6 query) and (different near3 ((data	US-PGPUB;	200 1102/21 11:00
		adj format) or format))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	1498	707/3.ccls. and ((data adj sources!) or databases! or tables! or	USPAT;	2004/02/27 12:02
		(data adj bases!)) near6 (search\$6 or retriev\$4 or query)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	132	(707/3.ccls. and ((data adj sources!) or databases! or tables!	USPAT;	2004/02/27 11:53
		or (data adj bases!)) near6 (search\$6 or retriev\$4 or query))	US-PGPUB;	
		and (different near3 ((data adj format) or format))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9	69	((707/3.ccls. and ((data adj sources!) or databases! or tables!	USPAT;	2004/02/27 11:59
		or (data adj bases!)) near6 (search\$6 or retriev\$4 or query))	US-PGPUB;	
		and (different near3 ((data adj format) or format))) and	EPO; JPO;	
		((natural adj language) or (HTPP or (HTML or XML or SGML)))	DERWENT;	
1.0		(707/0 L L L L L L L L L L L L L L L L L L L	IBM_TDB	
10	36	((707/3.ccls. and ((data adj sources!) or databases! or tables!	USPAT;	2004/02/27 11:59
		or (data adj bases!)) near6 (search\$6 or retriev\$4 or query))	US-PGPUB;	
		and (different near3 ((data adj format) or format))) and	EPO; JPO;	
		((natural adj language) or (HTPP or (HTML or XML or SGML)))	DERWENT;	
11	40	with (query or result)	IBM_TDB	0004/00/07 10 07
11	18	(707/3.ccls. and ((data adj sources!) or databases! or tables!	USPAT;	2004/02/27 12:00
		or (data adj bases!)) near6 (search\$6 or retriev\$4 or query))	US-PGPUB;	
		and (different near3 ((data adj format) or format)) with query	EPO; JPO;	
			DERWENT;	
12	367	707/3.ccls. and (natural adj language)	IBM_TDB USPAT;	2004/02/27 11:50
' -	307	10170.0005. and (natural auj language)	US-PGPUB;	2004/02/27 11:59
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
13	7	(707/3.ccls. and (natural adj language)) and (HTTP and	USPAT;	2004/02/27 12:00
	1	(HTML or XML or SGML)) with (query or result)	US-PGPUB;	2007/02/21 12.00
		(Macry of Tesuit)	EPO; JPO;	
			DERWENT;	
	J. A		IBM_TDB	
			100	1

			4	
	2	(707/3.ccls. and (natural adj language)) and (different near3	USPAT;	2004/02/27 12:01
		((data adj format) or format)) with query	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
15	31	(707/3.ccls. and (natural adj language)) and (different near3	USPAT;	2004/02/27 12:02
		((data adj format) or format))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
10		(/707/2 and and (natural adi language)) and (different nage)	IBM_TDB	2004/02/27 12:02
16	31	((707/3.ccls. and (natural adj language)) and (different near3	USPAT;	2004/02/27 12:02
ĺ		((data adj format) or format))) and (search\$6 or quer\$5 or retriev\$4)	US-PGPUB; EPO; JPO;	
1		rettlev\$4)	DERWENT;	
			IBM TDB	
17	20	((707/3.ccls. and (natural adj language)) and (different near3	USPAT:	2004/02/27 12:02
'' ·	20	((data adj format) or format))) and ((data adj sources!) or	US-PGPUB:	200 02.2.
		databases! or tables! or (data adj bases!)) near6 (search\$6 or	EPO: JPO:	
		retriev\$4 or query)	DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	19049	707/\$.ccls.	USPAT;	2004/02/27 12:22
1		, , , , , , , , , , , , , , , , , , ,	US-PGPUB:	
1			EPO; JPO;	
]			DERWENT;	
			IBM_TDB	
2	187	707/\$.ccls. and natural adj language adj query	USPAT;	2004/02/27 12:23
1	•		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1 _	_		IBM_TDB	
3	0	(707/\$.ccls. and natural adj language adj query) and (different	USPAT;	2004/02/27 12:38
ļ		adj (format or (data adj format))) with (query or search\$6 or	US-PGPUB;	
		retriev\$3)	EPO; JPO;	
			DERWENT;	
ا ا	76	(707/\$ colo and natural adi language adi guant) and ((data adi	IBM_TDB	2004/02/27 42:22
4	/6	(707/\$.ccls. and natural adj language adj query) and ((data adj (sources! or bases!)) or databases!) near6 query	USPAT;	2004/02/27 12:32
.[(Sources: or bases:)) or databases:) fleato query	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	25	((707/\$.ccls. and natural adj language adj query) and ((data	USPAT;	2004/02/27 12:30
	-	adj (sources! or bases!)) or databases!) near6 query) and	US-PGPUB;	2007/02/21 12.30
		(formats! or (data adj formats!))	EPO; JPO;	
'		(DERWENT;	
			IBM_TDB	
6	4	((707/\$.ccls. and natural adj language adj guery) and ((data	USPAT;	2004/02/27 12:34
		adj (sources! or bases!)) or databases!) near6 query) and	US-PGPUB;	
		(formats! or (data adj formats!)) same (HTTP or XML or HTML	EPO; JPO;	· ·
		or SGML)	DERWENT;	
1_			IBM_TDB	
7	0	(707/\$.ccls. and natural adj language adj query) and ((data adj	USPAT;	2004/02/27 12:32
		(sources! or bases!)) or databases!) near6 formats!	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
8	261	707/\$.ccls. and ((data adj (sources! or bases!)) or databases!)	IBM_TDB USPAT;	2004/02/27 12:33
	201	near6 formats!	US-PGPUB;	2004/02/21 12.33
		nouro torritato.	EPO; JPO;	
			DERWENT;	
	,		IBM_TDB	
9	44	(707/\$.ccls. and ((data adj (sources! or bases!)) or databases!)	USPAT;	2004/02/27 12:33
		near6 formats!) and 707/3.ccls.	US-PGPUB;	
	İ	*	EPO; JPO;	
			DERWENT;	
10		(707)A	IBM_TDB	
10	14	((707/\$.ccls. and ((data adj (sources! or bases!)) or	USPAT;	2004/02/27 12:37
		databases!) near6 formats!) and 707/3.ccls.) and (formats! or	US-PGPUB;	
		(data adj formats!)) same (HTTP or XML or HTML or SGML)	EPO; JPO;	
			DERWENT;	
11	13	(((707/\$.ccls. and ((data adj (sources! or bases!)) or	IBM_TDB	2004/02/27 12:36
''		databases!) near6 formats!) and 707/3.ccls.) and (formats! or	USPAT; US-PGPUB;	2004/02/21 12:36
		(data adj formats!)) same (HTTP or XML or HTML or SGML))	EPO; JPO;	
		and first and second	DERWENT;	
]			IBM_TDB	
12	2	((707/\$.ccls. and ((data adj (sources! or bases!)) or	USPAT;	2004/02/27 12:37
		databases!) near6 formats!) and 707/3.ccls.) and (formats! or	US-PGPUB;	
		(data adj formats!)) with (first and second)	EPO; JPO;	
			DERWENT;	
40			IBM_TDB	
13	0	(((707/\$.ccls. and ((data adj (sources! or bases!)) or	USPAT;	2004/02/27 12:38
		databases!) near6 formats!) and 707/3.ccls.) and (formats! or	US-PGPUB;	
		(data adj formats!)) with (first and second)) and (different adj	EPO; JPO;	
]		(format or (data adj format))) with (query or search\$6 or	DERWENT;	
L		retriev\$3)	IBM_TDB	<u> </u>

14	2 ((((707/\$.ccls. and ((data adj (sources! or bases!)) or	USPAT;	2004/02/27 12:38
1		databases!) near6 formats!) and 707/3.ccls.) and (formats! or	US-PGPUB;	
		(data adj formats!)) with (first and second)) and (query or	EPO; JPO;	
		search\$6 or retriev\$3)	DERWENT:	
			IBM TDB	

L Number	Hits	Search Text	DB	Time stamp
1	15975	704/\$.ccls.	USPAT;	2004/02/27 11:06
'	10070	7047ψ.0013.	US-PGPUB;	2004/02/27 11:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	331	704/\$.ccls. and HTTP and (HTML or XML or SGML)	USPAT;	2004/02/27 11:19
		(US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	3	(704/\$.ccls. and HTTP and (HTML or XML or SGML)) and	USPAT;	2004/02/27 11:08
		(quer\$5 near9 (HTTP and (HTML or XML or SGML)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4-	(70.4/2 14.77.4 20.4	IBM_TDB	
4	17	(704/\$.ccls. and HTTP and (HTML or XML or SGML)) and	USPAT;	2004/02/27 11:09
		(quer\$5 near9 HTTP)	US-PGPUB;	
-		•	EPO; JPO;	
			DERWENT;	4
5	1353	704/\$.ccls. and natural adj language	IBM_TDB USPAT;	2004/02/27 11:19
	1000	10-74.000. and natural adjianydaye	US-PGPUB;	2004/02/21 11.19
I			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
6	118	(704/\$.ccls. and natural adj language) and HTTP and (HTML	USPAT;	2004/02/27 11:27
		or XML or SGML)	US-PGPUB:	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	75	((704/\$.ccls. and natural adj language) and HTTP and (HTML	USPAT;	2004/02/27 11:10
		or XML or SGML)) and quer\$5 and (search\$6 or retriev\$4 or	US-PGPUB;	
		extract\$6)	EPO; JPO;	
İ		*	DERWENT;	
8	16	///704/C sale, and network additionary as a UTTP and (UTTM)	IBM_TDB	0004/00/07 44 47
•	16	(((704/\$.ccls. and natural adj language) and HTTP and (HTML or XML or SGML)) and quer\$5 and (search\$6 or retriev\$4 or	USPAT;	2004/02/27 11:17
		extract\$6)) and (sources! or databases! or tables!) with query	U\$-PGPUB; EPO; JPO;	
		extraction and (sources: or databases: or tables:) with query	DERWENT;	
			IBM_TDB	
9	16	((((704/\$.ccls. and natural adj language) and HTTP and	USPAT;	2004/02/27 11:18
	_	(HTML or XML or SGML)) and quer\$5 and (search\$6 or	US-PGPUB;	200 1102/27 11:10
		retriev\$4 or extract\$6)) and (sources! or databases! or tables!)	EPO; JPO;	İ
		with query) and (format or (differen\$4 near5 format))	DERWENT;	
		<i>"</i>	IBM_TDB	
10	4	((((704/\$.ccls. and natural adj language) and HTTP and	USPAT;	2004/02/27 11:14
1		(HTML or XML or SGML)) and quer\$5 and (search\$6 or	US-PGPUB;	
-		retriev\$4 or extract\$6)) and (sources! or databases! or tables!)	EPO; JPO;	
		with query) and ((differen\$4 near5 format))	DERWENT;	
11	7676	((doto odi poursoal) or databassas las (data addition in	IBM_TDB	0004/00/07 :: 5-
11	7676	((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 11:30
		tables!) with query	US-PGPUB;	
1			EPO; JPO; DERWENT;	
1			IBM_TDB	
12	5213	(((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 11:25
	32.3	tables!) with query) and (format or (differen\$4 near5 format))	US-PGPUB;	2004/02/21 11.20
		, , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
.			IBM_TDB	
13	833	(((data adj sources!) or databases! or (data adj bases!) or	USPAT;	2004/02/27 11:18
		tables!) with query) and (differen\$4 near5 format)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	1		IBM TDB	

14	69	((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (differen\$4 near5 format)) and natural adj language	USPAT; US-PGPUB; EPO; JPO;	2004/02/27 11:24
			DERWENT; IBM_TDB	
15	30	(((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (differen\$4 near5 format)) and natural adj language) and HTTP and (HTML or XML or SGML)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 11:19
16	25	((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (differen\$4 near5 format)) and (natural	IBM_TDB USPAT; US-PGPUB;	2004/02/27 11:24
		adj language) near6 query	EPO; JPO; DERWENT;	
17	307	((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (format or (differen\$4 near5 format))) and natural adj language	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 11:32
18	1291	12and (natural adj language) near6 query	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/27 11:25
		· .	DERWENT; IBM_TDB	
19	146	((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (format or (differen\$4 near5 format))) and (natural adj language) near6 query	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 11:25
20	113	(((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (format or (differen\$4 near5 format))) and (natural adj language) near6 query) and (707/\$.ccls. or 707/\$.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 11:36
21	113	((((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (format or (differen\$4 near5 format))) and (natural adj language) near6 query) and (707/\$.ccls. or 707/\$.ccls.)) and (format or (differen\$4 near5 format))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 11:26
22	113	((((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (format or (differen\$4 near5 format))) and (natural adj language) near6 query) and (707/\$.ccls. or 707/\$.ccls.)) and (format or (differen\$4 near format))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 11:26
23	57	((((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (format or (differen\$4 near5 format))) and (natural adj language) near6 query) and (707/\$.ccls. or 707/\$.ccls.)) and (differen\$4 near (format or type))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:31
24	12	((((((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (format or (differen\$4 near5 format))) and (natural adj language) near6 query) and (707/\$.ccls. or 707/\$.ccls.)) and (differen\$4 near (format or type))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 11:31
25	5921	HTTP and (HTML or XML or SGML) ((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/27 11:31
26	2000	(((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near (format or type))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 11:38
			IBM_TDB	

			,	
27	670	((((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near (format or type))) and (707/\$.ccls. or 707/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 11:31
28	154	(((((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near (format or type))) and (707/\$.ccls. or 707/\$.ccls.)) and HTTP and (HTML or XML or SGML)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 11:33
29	16	(((((((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near (format or type))) and (707/\$.ccls. or 707/\$.ccls.)) and HTTP and (HTML or XML or SGML)) and natural adj language	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:32
30	40	(((((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near (format or type))) and (707/\$.ccls. or 707/\$.ccls.)) and (HTTP and (HTML or XML or SGML)) with (quer\$5 or search\$4 or retriev\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:38
31	113	(((((data adj sources!) or databases! or (data adj bases!) or tables!) with query) and (format or (differen\$4 near5 format))) and (natural adj language) near6 query) and (707/\$.ccls. or 707/3.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:36
32	670	((((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near (format or type))) and (707/\$.ccls. or 707/3.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:37
33	242	((((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near (format or type))) and (704/\$.ccls. or 707/3.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:38
34	15	(((((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near (format or type))) and (704/\$.ccls. or 707/3.ccls.)) and (HTTP and (HTML or XML or SGML)) with (quer\$5 or search\$4 or retriev\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:37
35	365	(((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 11:38
36	14	((((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near format)) and (HTTP and (HTML or XML or SGML)) with (quer\$5 or search\$4 or retriev\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:38
37	5	((((((data adj sources!) or databases! or (data adj bases!) or tables!) near6 query) and (differen\$4 near format)) and (HTTP and (HTML or XML or SGML)) with (quer\$5 or search\$4 or retriev\$6)) and (704/\$.ccls. or 707/3.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:38